WALDHAUSEN [UK REACH]

# Revision date:8/5/2025Version:1.0Replaces version:0.0Language:en-GBDate of print:20/5/2025

Page:

### Waldhausen Easy Cool

Material number WE010000-WH

1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name:

W

Waldhausen Easy Cool

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Care product

DIE GANZE WELT DES REITSPORT

### **1.3 Details of the supplier of the safety data sheet**

Company name:	Waldhausen GmbH & Co. KG	
Street/POB-No.:	Von-Hünefeld-Str. 53	
Postal Code, city:	50829 Köln	
	Germany	
WWW:	www.waldhausen.com	
E-mail:	info@waldhausen.com	
Telephone:	+49 (0)221-58801-0	
Telefax:	+49 (0) 221-58801-44	
Department responsible for information: Michael Manefeld E-mail: info@waldhausen.com Telephone: +49 (0)221-58801-0		

### 1.4 Emergency telephone number

GIZ-Nord, Göttingen, Germany, Telephone: +49 551-19240

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

Text for labelling: Labelling for contents according to regulation (EC) No 648/2004, annex VII: Contains non-ionic surfactant <5%. Contains preservatives, perfumes.

### 2.3 Other hazards

No risks worthy of mention.

Endocrine disrupting properties, Results of PBT and vPvB assessment: No data available

WALDHAUSEN [UK REACH]

Revision date: 8/5/2025 Version: 1.0 Replaces version: 0.0 . Language: en-GB Date of print: 20/5/2025

Page:

### Waldhausen Easy Cool

Material number WE010000-WH

2 of 8

### SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

#### 3.2 Mixtures

Chemical characterisation: Aqueous solution

DIE GANZE WELT DES REITSPORT

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 200-661-7 CAS 67-63-0	Isopropyl alcohol	< 10 %
	Flam. Liq. 2; H225. Eye Irrit. 2; H319. STOT SE 3; H336.	
Full text of H- and EUH-statements; see section 16.		

Labelling for contents according to regulation (EC) No 648/2004, annex VII: Additional information: Contains non-ionic surfactant <5%. Contains preservatives, perfumes.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

In case of inhalation:	Move victim to fresh air. Seek medical treatment in case of troubles.		
Following skin contact:	Remove residues with water. Change contaminated clothing. In case of skin reactions, consult a physician.		
After eye contact:	With eyelids open, wash out eyes for several minutes under flowing water. In case of troubles or persistent symptoms, consult an opthalmologist.		
After swallowing:	If swallowed, rinse mouth with water (only if the person is conscious). If you feel unwell, seek medical advice.		
4.2 Most important symptoms and effects, both acute and delayed			

### Most important symptoms and effects, both acute and delayed

May cause sensitization by especially sensitive humans.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: carbon monoxide and carbon dioxide

### 5.3 Advice for firefighters

Special protective equipment for firefighters: Wear self-contained breathing apparatus.

#### Additional information: Hazchem-Code: -

Do not allow water used to extinguish fire to enter drains, ground or waterways.



WALDHAUSEN [UK REACH] according to Regulation (EC) No 1907/2006, as retained and amended in UK law

### Waldhausen Easy Cool

Material number WE010000-WH

Revision date:8/5/2025Version:1.0Replaces version:0.0Language:en-GBDate of print:20/5/2025

Page:

3 of 8

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear appropriate protective equipment. Do not breathe vapour. Provide adequate ventilation.

#### 6.2 Environmental precautions

DIE GANZE WELT DES REITSPORT

W)

Do not allow to penetrate into soil, waterbodies or drains.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid contact with skin and eyes. Wear appropriate protective equipment.

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic charging.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed. Store at room temperature. Shelf life: 36 months

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
67-63-0	Isopropyl alcohol	Great Britain: WEL-STEL Great Britain: WEL-TWA Ireland: 15 minutes Ireland: 8 hours	1,250 mg/m³; 500 ppm 999 mg/m³; 400 ppm 400 ppm (may be absorbed through the skin) 200 ppm (may be absorbed through the skin)
57-55-6	Propane-1,2-diol	Great Britain: WEL-TWA Great Britain: WEL-TWA Ireland: 8 hours Ireland: 8 hours	10 mg/m <sup>3</sup> (particulates) 474 mg/m <sup>3</sup> ; 150 ppm (total dust) 10 mg/m <sup>3</sup> (particles) 470 mg/m <sup>3</sup> ; 150 ppm (vapour and particles)

WALDHAUSEN [UK REACH]

### Waldhausen Easy Cool

Material number WE010000-WH

### 8.2 Exposure controls

W

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

DIE GANZE WELT DES REITSPORTS

#### **Occupational exposure controls**

Respiratory protection:	If vapours form, use respiratory protection. Use filter type A (= against vapours of organic substances) according to BS EN 14387.	
Hand protection:	Protective gloves according to BS EN ISO 374-1. Glove material: Nitrile rubber. Breakthrough time: >480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.	
Eye protection:	Tightly sealed goggles according to BS EN ISO 16321-1.	
Body protection:	Wear suitable protective clothing.	
General protection and hygiene measures:		
	Avoid contact with skin and eyes.	
	Change contaminated clothing.	
	After work, wash hands and face.	

#### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance:	Physical state at 20 °C and 101.3 kPa: liquid
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	> 60 °C
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	No data available
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature: Decomposition temperature:	No data available No data available No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available

### 9.2 Other information

Ignition temperature:

No data available

Revision date: 8/5/2025 Version: Replaces version: Language: Date of print: 20/5/2025

Page:

4 of 8

1.0

0.0

en-GB

WALDHAUSEN [UK REACH]

Revision date:8/5/2025Version:1.0Replaces version:0.0Language:en-GBDate of print:20/5/2025

Page:

### Waldhausen Easy Cool

Material number WE010000-WH

5 of 8

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

refer to 10.3

#### 10.2 Chemical stability

DIE GANZE WELT DES REITSF

Stable under recommended storage conditions. Shelf life: 36 months

#### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames. Protect from direct sunlight.

#### 10.5 Incompatible materials

No data available

### **10.6 Hazardous decomposition products**

In case of fire may be liberated: carbon monoxide and carbon dioxide No data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Toxicological effects:Acute toxicity (oral): Lack of data.<br/>Acute toxicity (inhalative): Lack of data.<br/>Acute toxicity (inhalative): Lack of data.<br/>Skin corrosion/irritation: Lack of data.<br/>Serious eye damage/irritation: Lack of data.<br/>Sensitisation to the respiratory tract: Lack of data.<br/>Skin sensitisation: Lack of data.<br/>Germ cell mutagenicity/Genotoxicity: Lack of data.<br/>Carcinogenicity: Lack of data.<br/>Reproductive toxicity: Lack of data.<br/>Effects on or via lactation: Lack of data.<br/>Specific target organ toxicity (single exposure): Lack of data.<br/>Aspiration hazard: Lack of data.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Further details:

No data available



WALDHAUSEN [UK REACH]

Revision date:8/5/2025Version:1.0Replaces version:0.0Language:en-GBDate of print:20/5/2025

Page:

### Waldhausen Easy Cool

Material number WE010000-WH

6 of 8

### 12.2 Persistence and degradability

Further details:

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

#### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste key number:16 10 02 =Aqueous liquid wastes other than those mentioned in 16 10 01Recommendation:Dispose of waste according to applicable legislation.

#### Package

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR:

### not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

#### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

no

#### 14.5 Environmental hazards

Marine pollutant:

DIE GANZE WELT DES REITSPORT

W

WALDHAUSEN [UK REACH]

### Waldhausen Easy Cool

Material number WE010000-WH

### 14.6 Special precautions for user

DIE GANZE WELT DES REITSP

No dangerous good in sense of these transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code:

No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 40, 75

#### **15.2 Chemical Safety Assessment**

For this mixture a chemical safety assessment is not required.

### **SECTION 16: Other information**

#### **Further information**

Wording of the H-phrases under paragraph 2 and 3:

H225 = Highly flammable liquid and vapour.

H319 = Causes serious eye irritation.

H336 = May cause drowsiness or dizziness.

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods EN: European Standard EQ: Excepted quantities Eye Irrit.: Eye irritation Flam. Liq.: Flammable liquid IATA: International Air Transport Association IATA-DGR: International Air Transport Association - Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code IMO: International Maritime Organization MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail STOT SE: Specific target organ toxicity - single exposure TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative 8/5/2025 Date of first version:

Revision date:8/5/2025Version:1.0Replaces version:0.0Language:en-GBDate of print:20/5/2025

Page:

7 of 8

WALDHAUSEN [UK REACH]

Revision date: 8/5/2025 Version: 1.0 Replaces version: 0.0 Language: en-GB Date of print: 20/5/2025

8 of 8

Page:

### Waldhausen Easy Cool

Material number WE010000-WH

### Department issuing data sheet

DIE GANZE WELT DES REITSPORTS

see section 1: Department responsible for information Contact person:

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.