

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Waldhausen Insektenschutz Super Strong

UFI: 5800-P0U7-G00N-TXEK

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Insect repellents

1.3 Details of the supplier of the safety data sheet

Company name: Waldhausen GmbH & Co. KG
Street/POB-No.: Von-Hünefeld-Str. 53
Postal Code, city: 50829 Köln
Germany
WWW: www.waldhausen.com
E-mail: info@waldhausen.com
Telephone: +49 (0)221-58801-0
Telefax: +49 (0) 221-58801-44
Department responsible for information:
Michael Manefeld
E-mail: info@waldhausen.com
Telephone: +49 (0)221-58801-0

1.4 Emergency telephone number

GIZ-Nord, Göttingen, Germany,
Telephone: +49 551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Flam. Liq. 3; H226 Flammable liquid and vapour.

Eye Irrit. 2; H319 Causes serious eye irritation.

2.2 Label elements

Labelling (CLP)



Signal word: **Warning**

Hazard statements: H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law
[UK REACH]

Revision date: 8/5/2025
Version: 1.0
Replaces version: 0.0
Language: en-GB
Date of print: 20/5/2025

Waldhausen Insektenschutz Super Strong

Material number WE051682-WH

Page: 2 of 10

Precautionary statements: P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to hazardous or special waste collection point.

Special labelling

Text for labelling: Active ingredients: sec-butyl 2-(2-hydroxyethyl)piperidine-1- carboxylate (Icaridine);
Eucalyptus citriodora oil, hydrated, cyclized (EC Oil (H/C))
Product-type 19: Repellents and attractants
Use biocides safely. Always read the label and product information before use.

2.3 Other hazards

Potentially explosive mixtures may form if adequate ventilation is not provided.
Inhaling can lead to irritations of the respiratory tract and mucous membrane.
Higher doses may have a narcotic effect.
Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:
No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Aqueous solution

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119457610-43-xxxx EC No. 200-578-6 CAS 64-17-5	Ethanol Flam. Liq. 2; H225. Eye Irrit. 2; H319. Specific concentration limits (SCL): Eye Irrit. 2 ; H319: C ≥ 50 %	25 - 35 %
REACH 01-2119457558-25-xxxx EC No. 200-661-7 CAS 67-63-0	Isopropyl alcohol Flam. Liq. 2; H225. Eye Irrit. 2; H319. STOT SE 3; H336.	< 3.5 %

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand. First aider: Pay attention to self-protection!

In case of inhalation: Move victim to fresh air. Seek medical treatment in case of troubles.

**Waldhausen Insektenschutz Super
Strong**

Material number WE051682-WH

Page: 3 of 10

- Following skin contact: Remove residues with water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.
- After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.
- After swallowing: Do not induce vomiting without medical assistance. Never give anything by mouth to an unconscious person. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation. Inhaling can lead to irritations of the respiratory tract and mucous membrane.
Higher doses may lead to a narcotic effect.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media:

Extinguishing powder, water spray jet or carbon dioxide.
In case of large fires: alcohol resistant foam or water spray jet.

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Flammable liquid and vapour. On contact with air, potentially explosive mixtures may develop.
Hazardous vapours may form during fires.
Furthermore, there may develop: nitrogen oxides (NO_x), Pyrolysis products, carbon monoxide and carbon dioxide.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Hazchem-Code: •3Y

Heating will lead to pressure increase: Danger of bursting and explosion. Use fine water spray to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.
Do not allow fire water to penetrate into surface or ground water.

Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Do not breathe vapour/aerosol. Avoid contact with skin and eyes. In case of leakage, eliminate all ignition sources. Provide adequate ventilation. Wear appropriate protective equipment. Keep unprotected people away. Take off contaminated clothing and wash it before reuse. Cordon off downwind area at risk and warn inhabitants.

**Waldhausen Insektenschutz Super
Strong**

Material number WE051682-WH

Page: 4 of 10

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.
If necessary, notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).
Beware of reignition. Thoroughly clean surrounding area.
In case of greater quantities: Collect mechanically (use only explosion-proof equipment when pumping out).

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not breathe vapour/aerosol.
Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment.
Take off contaminated clothing and wash it before reuse.
Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation. Avoid the formation of aerosol.
When using do not eat, drink or smoke. Wash hands thoroughly after handling.
When handling large quantities, supply emergency spray.

Precautions against fire and explosion:
Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:
Keep container tightly closed and in a well-ventilated place.
Keep container dry. Keep only in the original container.
Protect from frost, heat and sunlight.
Store containers in upright position. Explosion protection required.
Recommended storage temperature: less than 50 °C

Hints on joint storage: Do not store together with combustible or self-igniting materials or any highly flammable solids.
Do not store together with strong oxidizing agents, peroxides, acids, alkali metals.
Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
64-17-5	Ethanol	Great Britain: WEL-TWA Ireland: 15 minutes	1,920 mg/m ³ ; 1,000 ppm 1,000 ppm
67-63-0	Isopropyl alcohol	Great Britain: WEL-STEL Great Britain: WEL-TWA Ireland: 15 minutes Ireland: 8 hours	1,250 mg/m ³ ; 500 ppm 999 mg/m ³ ; 400 ppm 400 ppm (may be absorbed through the skin) 200 ppm (may be absorbed through the skin)

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

- Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A (= against vapours of organic substances) according to BS EN 14387.
- Hand protection: Protective gloves according to BS EN ISO 374-1.
 Glove material: Butyl caoutchouc (butyl rubber)-Layer thickness: 0.5 mm
 Breakthrough time: > 480 min.
 Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
- Eye protection: Tightly sealed goggles according to BS EN ISO 16321-1.
- Body protection: Flame retardant, antistatic and chemical resistant protective clothing.
- General protection and hygiene measures:
 Use only non-sparking tools. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Do not breathe vapour/aerosol. Avoid contact with skin and eyes. Take off contaminated clothing and wash it before reuse. When using do not eat, drink or smoke. Wash hands before breaks and after work.
 When handling large quantities, supply emergency spray.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance: Physical state at 20 °C and 101.3 kPa: liquid
 Colour: Colourless
- Odour: characteristic
- pH: 5 - 8
- Melting point/freezing point: not determined
- Initial boiling point and boiling range: No data available
- Flash point/flash point range: 27 °C (DIN 51758)

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law
[UK REACH]

Revision date: 8/5/2025
Version: 1.0
Replaces version: 0.0
Language: en-GB
Date of print: 20/5/2025

Waldhausen Insektenschutz Super Strong

Material number WE051682-WH

Page: 6 of 10

Flammability:	Flammable liquid and vapour.
Explosion limits:	LEL (Lower Explosion Limit): 3.50 Vol-% (Ethanol) UEL (Upper Explosive Limit): 15.00 Vol-% (Ethanol)
Vapour pressure:	at 20 °C: 59 hPa (Ethanol)
Vapour density:	No data available
Density:	not determined
Water solubility:	miscible
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	Vapours can form explosive mixtures with air.
Oxidizing characteristics:	No data available

9.2 Other information

Ignition temperature: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Flammable liquid and vapour.
Vapours can form explosive mixtures with air.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Heating will lead to pressure increase: Danger of bursting and explosion.

10.4 Conditions to avoid

Keep away from heat sources, sparks and open flames.
Do not expose to temperatures above 50 °C. Protect from direct sunlight.

10.5 Incompatible materials

Alkali metals, strong oxidizing agents, strong acids, peroxides, hydrogen peroxide.

10.6 Hazardous decomposition products

No decomposition when used properly.
Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:	The statements are derived from the properties of the single components. No toxicological data is available for the product as such. Acute toxicity (oral): Lack of data. Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data. Serious eye damage/irritation: Eye Irrit. 2; H319 = Causes serious eye irritation. Sensitisation to the respiratory tract: Lack of data. Skin sensitisation: Lack of data. Germ cell mutagenicity/Genotoxicity: Lack of data. Carcinogenicity: Lack of data. Reproductive toxicity: Lack of data. Effects on or via lactation: Lack of data. Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data. Aspiration hazard: Lack of data.
Other information:	Information about Ethanol: LD50 Rat, oral: 10,470 mg/kg (OECD 401) LC50 Rat, inhalative: 117-125 mg/L/4h (OECD 403)

Symptoms

After contact with skin:
Prolonged/repetitive skin contact may cause skin defatting or dermatitis.
After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:	Information about Ethanol: Fish toxicity: LC50 Oncorhynchus mykiss: 13,000 mg/L/96h Daphnia toxicity: EC50 Daphnia magna (Big water flea): 12,340 mg/L/ 48h Algae toxicity: EC50 Selenastrum capricornutum: 12,900 mg/L/48h
-------------------	---

12.2 Persistence and degradability

Further details:	Biodegradability: Information about Ethanol: 97% / 28 d (OECD 301 B). Readily degradable
------------------	---

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:	No data available
---	-------------------

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 16 10 01* = Aqueous liquid wastes containing hazardous substances
* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

Package

Waste key number: 20 03 01 = mixed municipal waste

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.
Handle empty containers with care. Incineration may cause explosion.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR:
UN 1993

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:
UN 1993, FLAMMABLE LIQUID, N.O.S. (Ethanol solution)

14.3 Transport hazard class(es)

ADR/RID: Class 3, Code: F1
IMDG: Class 3, Subrisk -
IATA-DGR: Class 3

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:
III

14.5 Environmental hazards

Marine pollutant: no



**Waldhausen Insektenschutz Super
Strong**

Material number WE051682-WH

Page: 9 of 10

14.6 Special precautions for user**Land transport (ADR/RID)**

Warning board: ADR/RID: Kemmler-number 30, UN number UN 1993
Hazard label: 3
Special Provisions: 274 601
Limited quantities: 5 L
EQ: E1
Package - Instructions: P001 IBC03 LP01 R001
Special provisions for packing together: MP19
Portable tanks - Instructions: T4
Portable tanks - Special Provisions: TP1 TP29
Tank coding: LGBF
Tunnel restriction code: D/E

Sea transport (IMDG)

EmS: F-E, S-E
Special Provisions: 223 274 955
Limited quantities: 5 L
Excepted quantities: E1
Package - Instructions: P001, LP01
Package - Provisions: -
IBC - Instructions: IBC03
IBC - Provisions: -
Tank instructions - IMO: -
Tank instructions - UN: T4
Tank instructions - Provisions: TP1, TP29
Stowage and handling: Category A.
Properties and observations: -
Segregation group: none

Air transport (IATA)

Hazard label: Flamm. liquid
Excepted Quantity Code: E1
Passenger and Cargo Aircraft: Ltd.Qty.: Pack.Instr. Y344 - Max. Net Qty/Pkg. 10 L
Passenger and Cargo Aircraft: Pack.Instr. 355 - Max. Net Qty/Pkg. 60 L
Cargo Aircraft only: Pack.Instr. 366 - Max. Net Qty/Pkg. 220 L
Special Provisions: A3
Emergency Response Guide-Code (ERG): 3L

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations - Great Britain**

Hazchem-Code: •3Y
No data available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006, as retained and amended in UK law
[UK REACH]

Revision date: 8/5/2025
Version: 1.0
Replaces version: 0.0
Language: en-GB
Date of print: 20/5/2025

Waldhausen Insektenschutz Super Strong

Material number WE051682-WH

Page: 10 of 10

National regulations - EC member states

Further regulations, limitations and legal requirements:

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: Physical hazards: Code P5c,
Quantity threshold 5 000 000 kg / 50 000 000 kg

Use restriction according to REACH annex XVII, no.: 3, 40, 75

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H225 = Highly flammable liquid and vapour.

H226 = Flammable liquid and vapour.

H319 = Causes serious eye irritation.

H336 = May cause drowsiness or dizziness.

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EC50: Effective Concentration 50%
EmS: Emergency Response Procedures for Ships Carrying Dangerous Goods
EN: European Standard
EQ: Excepted quantities
EU: European Union
Eye Irrit.: Eye irritation
Flam. Liq.: Flammable liquid
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
IMO: International Maritime Organization
LC50: Median lethal concentration
LD50: Lethal dose 50%
LEL: Lower Explosion Limit
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limit Value
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
STOT SE: Specific target organ toxicity - single exposure
TLV: Threshold Limit Value
TRGS: Technical Rules for Hazardous Substances
UN: United Nations
vPvB: Very persistent and very bioaccumulative
WEL: Workplace Exposure Limit

Date of first version: 8/5/2025

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.